

| | | | | | | | | | | |
|---|--|---------------------------------------|-------------------|----------------------|---------------------------|-----------------------|-----------------|----------------|--|----------------|
| Code & Name | LAM-8120PG/Monomeric Cold Lamination Premium Gloss (Monomeric Clear Vinyl Clear Perm. Gloss) | | | | | | | | | |
| Features | 80mic/120gsm Can be either laminated or printed with Eco/Sol inks | | | | | | | | | |
| Applications | Banners, Signs, Flags | Large Billboard /Frame | Adhesive Signages | POP Displays posters | Backlit Displays / Frames | Exhibits Events signs | Vehicle graphic | Window Graphic | Arts-graphic/ Photo-graphic reproduction | Magnetic Signs |
| | | | ■ | ■ | | | | ■ | | |
| Sizes | 1370/1520mm X50m | | | | | | | | | |
| Physical Properties | Face film | Clear monomeric calendered vinyl film | | | | | | | | |
| | Finish | Gloss | | | | | | | | |
| | Whiteness | 92.08 | | | | | | | | |
| | Brightness | 96 | | | | | | | | |
| Opacity | | 13% | | | | | | | | |
| Liner & adhesive Properties(when it is available) | Liner type | 120gsm/m ² Single PE Paper | | | | | | | | |
| | Adhesive thickness | 20mic Permanent, Clear Acrylic Base | | | | | | | | |
| | Initial Tack(30° slope device) | ≥6# | | | | | | | | |
| | Holding :9.8N on 1 square foot | ≥ 48hours | | | | | | | | |
| | 180° Peeling strength | 11-13N/25mm | | | | | | | | |
| Storage & Application | Shelf Time | 12 months | | | | | | | | |
| | Application Temperature | 5~40℃ | | | | | | | | |
| | Durability | Up to 2 years | | | | | | | | |

■ FULLY COMPATIBLE

□ FAIRLY COMPATIBLE OR NEED TO BE VERIFIED.

Note: All information, recommendations and suggestions contained herein, without limitation, stated values (collectively the "information") shall be used only as a guide by Purchaser and not for specification or any other purpose. The information does not constitute a warranty or guaranty of any type whatsoever. Purchase should independently determine the suitability of all material purchased and must confirm adaptability and other characteristics by conducting its own tests. We shall have no liability as a result of any loss, expense, damage, cost or other injury which results from Purchaser's reliance on the information.